

## SUMMARY OF GOLD EXPLORATION DRILLING RESULTS

2006 – 2009 Gold Exploration Drilling

Achieved by West High Yield Resources

On the Midnight-IXL-OK-Golden Drift Crown-granted Claims,

Updated on November 29, 2009

Site # (Claim)	Hole # (Total depth m)	Azimuth <Angle>	Interval (m)		Length (m)	Gold g/t	Occurrence
			From	To			
1 (Midnight)	SR06-1 (213.7)	11° <-57°>	40.4	41.7	1.3	4.82	Light green serpentinite
			43.4	44.5	1.1	9.70	Light green serpentinite
			93.0	94.8	1.8	11.23	Black serpentinite
			100.3	101.2	0.9	6.94	Black serpentinite
	SR06-2 (139)	36° <-57°>	44.5	44.53	0.03	11.5	Quartz vein
			57.0	57.6	0.6	11.85	Quartz vein
	SR06-3 (123.4)	345° <-57°>	17.8	18.6	0.8	21.5	Quartz vein
			42.3	46.3	4.0	2.16	Black serp.
			46.3	47.2	0.9	40.1	Light green serpentinite
			47.2	50.3	3.1	1.66	Dark green serp.
			98.6	99.0	0.4	1.93	Mixed Qtz and black serp.
			99.0	99.4	0.4	11.95	Quartz vein
	2 (Midnight)	SR06-4 (126.7)	11° <-57°>	No appreciable gold intersection			
SR06-5 (123.4)		36° <-57°>	59.7	75.6	14.2	2.70	Listwanized and green serp. including 6.8 g/t Au over 2.8 m
			87.1	89.3	2.2	1.52	Dark green serpentinite
			103.9	105.5	1.5	18.15	Listwanized green serpentine
3 (Midnight)	SR06-6 (77.7)	11° <-45°>	18.3	19.2	0.9	51.02	Fault/shear zone
			35.2	36.3	1.1	2.69	Light green serpentinite
			41.6	42.4	0.8	1.59	Black serpentinite
	SR06-7 (32.3)	11° <-60°>	16.5	24.8	8.5	11.69	Light green sheared serpentine including 29.2 g/t Au over 0.8 m and 24.9 g/t Au over 0.6 m
			24.8	26.2	1.4	N/A	Old workings (possible high grade vein)
			26.2	27.7	1.5	14.25	Light green soapstone
			29.3	31.9	2.6	N/A	Old workings (possible high grade vein)
	SR06-8 (123.7)	<-90°>	27.7	42.4	14.6	13.24	Mixed light soapstone and dark green serpentinite ; hanging wall of the old workings including 36.2 g/t over 0.6 m, 75.g/t Au over 1.07 m and 29.1 g/t over 0.9 m
			44.5	46.3	1.8	N/A	Old workings (possible high grade vein)
			49.4	61.4	10.0	2.05	Black serpentinite

Site # (Claim)	Hole # (Total depth m)	Azimuth <Angle>	Interval (m)		Length (m)	Gold g/t	Occurrence
			From	To			
<b>3</b> <b>Midnight</b>	<b>SR06-9</b> <b>(52.1)</b>	36° <-45°>	20.1	22.3	2.1	4.43	Light green serpentinite
	<b>SR06-10</b> <b>(181.7)</b>	36° <-75°>	30.2	31.2	1.0	3.60	Greenish grey serpentinite
			46.3	48.2	1.8	3.98	Black serepentinite
			56.0	57.0	1.0	4.44	Dark green serpentinite
	<b>SR06-11</b> <b>(193.9)</b>	345° <-60°>	15.8	16.8	1.0	5.31	Listwanized serpentinite
			18.3	19.0	0.7	<b>12.45</b>	Listwanized serpentinite
			22.1	29.3	<b>7.2</b>	<b>10.21</b>	Mixed dark green serp., listwanized serp., Quartz vein and soapstone including 40.9 g/t Au over 1.1 m
			29.3	32.3	<b>3.0</b>	<b>N/A</b>	Old workings (possible high grade vein)
			38.4	39.3	0.9	<b>16.15</b>	Dark green serpentinite
<b>4</b> <b>(I.X.L.)</b>	<b>SR06-12</b> <b>(153.0)</b>	60° <-60°>	No gold intersection to 153 m (E.O.H)				Light green andesite
	<b>SR06-13</b> <b>(99.1)</b>	80° <-60°>	No gold intersection to 99 m (E.O.H)				Ditto
	<b>SR06-19</b> <b>(105.8)</b>	100° <-60°>	No gold intersection to 105.8 m (E.O.H)				Ditto
<b>5</b> <b>(I.X.L.)</b>	<b>SR06-14</b> <b>(257.9)</b>	11° <-45°>	139.5	140.2	0.7	4.9	Black serpentinite
	<b>SR06-15</b> <b>(135.6)</b>	345° <-45°>	27.7	29.4	1.7	4.49	Dark green serpenitnite
			36.9	39.9	<b>3.0</b>	<b>8.6</b>	Black serpentinite
	<b>SR06-16</b> <b>(169.5)</b>	330 <-45°>	23.2	27.7	<b>4.5</b>	<b>5.94</b>	Listwanized serpentinite
			36.9	40.5	<b>3.6</b>	<b>15.9</b>	Green serpentinite
<b>6</b> <b>(OK.)</b>	<b>SR06-17</b> <b>(184.7)</b>	345° <-60°>	No high grade gold intersection to 184.7 m(E.O.H)				Black serpenitinte
	<b>SR06-18</b> <b>(168.9)</b>	11° <-45°>	142.95	143.2	0.25	<b>36.3</b>	Quartz vein (lower ext. of IXL)
	<b>SR06-20</b> <b>(212.1)</b>	36° <-45°>	Nosignificant grade gold intersection to 212.2 m				Black and mottled serpentinite
Midnight 3100 portal <b>(Midnight)</b>	<b>SR06-21</b> <b>(183.8)</b>	345° <-45°>	72.0	73.8	1.8	2.39	Dark green serp.(listwanized)
Near <b>5</b> <b>(Golden Drip)</b>	<b>GD7-1</b> <b>(267.0)</b>	36° <-50°>	141.3	143.6	2.3	4.24	Quartz vein; 2.27 g/tonne Ag
<b>8</b> <b>(I.X.L.)</b>	<b>IXL08-1</b> <b>(194.9)</b>	345° <-45°>	19.0	19.2	0.2	<b>5.42</b>	Quartz vein with 151.2 g/tonne Ag
			53.6	53.7	0.1	<b>6.22</b>	Quartz vein contains 119.0 g/t Ag
	<b>IXL08-2</b> <b>(22.3)</b>	11° <-45°>	22.3	28.4	<b>N/A</b>	<b>N/A</b>	Old workings above the main IXL vein (Abandoned in old workings)
	<b>IXL08-3</b> <b>(21.9)</b>	0° <-60°>	21.9	27.3	<b>N/A</b>	<b>N/A</b>	Old workings above the main IXL vein (Abandoned in old workings)

Site # (Claim)	Hole # (Total depth m)	Azimuth <Angle>	Interval (m)		Length (m)	Gold g/t	Occurrence
			From	To			
<b>8</b> (I.X.L.)	<b>IXL08-4</b> (26.2)	-90°	26.2	32.3	N/A	N/A	Old workings above the main IXL vein (Abandoned in old workings)
	<b>IXL08-5</b> (20.7)	0° <-60°>	Abandoned at 20.7 m				Stopped at 20.7 due to bad ground
	<b>IXL08-6</b> (28.0)	36° <-60°>	26.8	28.0	N/A	N/A	Old workings above the main IXL vein (Abandoned in old workings)
<b>10</b> (I.X.L.)	<b>IXL08-7</b> (160.3)	345°/ <-60°>	26.8	28.0	N/A	N/A	Old workings above the main IXL vein (Abandoned in old workings)
	<b>XL08-8</b> (26.8)	36° <-45°>	0	23.0			Abandoned in aqueous fault zone; cementation was failed after two days effort.
<b>9</b> (Midnight)	<b>MN08-1</b> (140.2)	36° <-50°>	20.5	21.6	1.0	35.78	Andesite(serpentinized): 1.8 g/tonne Ag
			77.0	77.7	0.6	13.41	Quartz vein with 64.1 g/tonne Ag
			95.5	96.0	0.5	48.39	Quartz vein with 30 g/tonne Ag
Italian Tunnel (Midnight)	<b>MN08-2</b> (279.2)	305° <-55°>	34.0	35.5	1.5	3.17	Silicified andesite; with Qtz stockwork 2.1 g/t onne Ag
			84.5	87.1	2.6	3.00	Andesite
<b>9</b> Midnight	<b>MN09-1</b> (185.6)	36° <-50°>	23.3	23.8	0.5	1.17	Andesite
			40.7	41.2	0.5	2.66	Andesite; 2.7 g/tonne Ag
			88.1	89.1	1.0	2.70	Quartz vein and siicified andesite; 13.65 g/tonne Ag
			92.6	93.1	0.5	1.19	Andesite; 2.5 g/t Ag
			103.7	104.2	0.5	4.38	Quartziferous zone; 2.4 g/tonne Ag
			113.7	114.2	0.5	1.94	Andesite; 5.3 g/tonneAg
			115.7	116.0	0.3	1.85	Andesite; 1.7 g/tonne Ag
			116.0	116.2	0.2	23.3	Quartz vein; 16.7 g/tonne Ag
	120.3	120.8	0.5	1.61	Silicified andesite; 2.1 g/t onne Ag		
	<b>MN09-2</b> (240.2)	36° <-50°>	20.7	21.2	0.5	1.50	Andesite; 5.0 g/tonne Ag
			30.1	30.6	0.5	3.28	Andesite; 5.6 g/tonne Ag
			34.1	34.6	0.5	1.11	Silicified andesite; 3.6 g/tonne Ag
			36.8	37.8	1.0	1.67	Silicified andesite; 6.7 g/tonne Ag
			39.3	39.8	0.5	1.29	Silicified andesite; 2.2 g/tonne Ag
			76.9	77.2	0.3	1.08	Quartz vein; 0.8 g/tonne Ag
			79.2	79.7	0.5	3.24	Andesite; 2.3 g/tonne Ag
83.8			87.3	3.5	3.72	Silicified andesite and quartz vein ;1.5 g/tonne Ag including 16.94 g/tonne Au over 0.5 m	
105.1	105.2	0.1	1.46	Quartz vein; 19.1 g/tonne Ag			

Site # (Claim)	Hole # (Total depth m)	Azimuth <Angle>	Interval (m)		Length (m)	Gold g/t	Occurrence
			From	To			
<b>3</b> Midnight	MN09-3 (240.2)	36° <-50°>	48.9	50.3	1.4	9.42	Serpentinized andesite; 55.9 g/tonne Ag
			51.5	53.0	1.5	1.73	Andesite; 11.1 g/tonne Ag
			70.2	71.7	1.5	1.46	Silicified andesite; 1.8 g/tonne Ag
			73.3	74.6	1.3	8.43	Andesite; 1.9 g/tonne Ag
			75.0	75.5	0.5	4.15	<b>Quartz vein; 29.3 g/t onneAg</b>
			75.5	77.0	1.5	2.64	Andesite; 3.0 g/tonne Ag
			86.4	87.9	1.5	1.22	Silicified andesite; 4.1 g/tonne Ag
			112.2	112.6	0.4	5.09	<b>Quartz-calcite vein; 1.3 g/t onne Ag</b>
	MN09-4 (123.2 m)	<-90°>	13.1	17.6	4.5	1.10	Serpentinite and serpentine;
			31.3	39.4	8.1	12.20	Listwanized serpentinite (8 g/t Ag) <b>including 85.48 g/t Au and 58.2 g/tonne Ag over 1 m; -</b>
			93.6	95.1	1.5	1.13	Black Serpentinite; 0.5 g/tonne Ag
	MN09-5 (118.6 m)	<-90°>	27.1	27.6	0.5	8.73	<b>Quartz zone</b> with 12 g/tonne Ag
			29.3	30.3	1.0	1.07	Black serpentinite
			42.9	48.9	6.0	1.43	Black serpentinite <b>including 3.47 g/tonne Au over 1 m</b>
			57.9	58.9	1.0	1.70	Black serpentinite
			72.8	73.8	1.0	1.85	Black serpentinite
	MN09-6 (121.6 m)	<-90°>	13.6	26.8	13.2	7.40	Mixed Qtz + listwanized serp.; 4.4 g/t onne Ag <b>including 38.21 g/tonne Au &amp; 53.3 g/tonne Au over 0.6 m &amp; 0.5 m, respectively</b>
			47.4	50.4	3.0	14.60	Blackish green serp. 3.63g/tonne Ag <b>Including 41.35 g/tonne Au over 1 m</b>
			58.7	74.7	16.0	3.29	Blackish green serp. 2.19 g/t onne Ag <b>Including 10.4 g/tonne Au over 4 m</b>
			97.9	99.9	2.0	2.98	Blackish serpentinite
	MN09-7 (121.9 m)	<-90°>	22.3	26.5	4.2	6.33	Listwanized serp. 1.73g/tonne Ag
			38.5	40.5	2.0	6.01	Listwanized serpentinite,
			65.3	67.3	2.0	1.86	Black serpentinite
	MN09-8 (121.9 m)	<-90°>	28.5	29.4	1.1	1.37	Listwanized serpentinite
			32.5	33.7	1.2	1.04	Listwanized serpentinite
			37.1	54.3	17.2	3.32	Mixed Qtz and Listwan serp. 1.7 g/tonne Ag <b>Including 27.71 g/t over 0.5 m</b>

Site # (Claim)	Hole # (Total depth m)	Azimuth <Angle>	Interval (m)		Length (m)	Gold g/t	Occurrence
			From	To			
<b>3</b> <b>Midnight</b>	<b>MN09-9</b> (121.9 m)	<-90°>	25.3	26.8	1.0	1.56	Listwanized serpentinite
			29.2	30.4	1.2	1.68	Listwanized serpentinite
			31.3	33.0	1.7	2.08	Fragmented serpentinite
			44.4	45.4	1.0	1.42	Listwanized serpentinite
			49.5	51.0	1.5	1.29	Listwanized serpentinite
			54.0	57.0	3.0	2.44	Listwanized serpentinite
			62.0	68.6	6.6	1.17	Listwanized serpentinite
	<b>MN09-10</b> (106.7 m)	<-90°>	24.3	26.3	2.0	1.59	Listwanized serpentinite
			35.5	52.1	<b>16.6</b>	<b>3.00</b>	Miced green serp. & listwanized serpentinite <b>including 15.27 g/tonne Au over 2.4 m</b>
	<b>MN09-11</b> (106.7 m)	<-90°>	30.9	46.3	<b>15.4</b>	<b>8.97</b>	Listwanized serp.& fragmented green serp.; 3.6 g/t Ag <b>including 47.6 g/tonne Au over 2 m</b>
			61.3	64.3	3.0	1.85	Green black serpentinite
	<b>MN09-12</b> (106.7 m)	<-90°>	36.4	37.4	1.0	1.14	Dk green serpentinite
			45.0	57.0	<b>12.0</b>	<b>4.99</b>	Black serpentinite; <b>Including 28.25 g/tonne Au for 1.5 m</b>
	<b>MN09-13</b> (106.7 m)	<-90°>	13.7	17.9	<b>4.2</b>	<b>8.79</b>	Green serpentinite; 3.94 g/tonne Ag <b>including 20.75 g/tonne Au for 1.2 m</b>
			49.1	59.9	<b>10.8</b>	<b>3.30</b>	Black serpentinite; <b>including 11.86 g/tonne Au for 2 m</b>
	<b>MN09-14</b> (106.7 m)	<-90°>	17.2	29.5	<b>12.3</b>	<b>7.07</b>	Green serpentinite; 2 g/tonne Ag <b>Including 21.63 g/tonne Au for 1.5 m</b>
			57.6	59.1	1.5	<b>3.07</b>	Black serpentinite
			81.1	83.1	<b>2.0</b>	<b>9.56</b>	Black serpentinite with 6.1 g/t Ag
	<b>MN09-15</b> (106.7 m)	<-90°>	13.9	18.0	<b>4.1</b>	<b>40.11</b>	Green serp. & soapstone; 19.7 g/tonne Ag : <b>including 198 g/tonne Au for 0.8 m</b>
			22.4	25.7	<b>3.3</b>	<b>3.29</b>	Listwanized serpentinite
			27.3	31.7	<b>4.4</b>	<b>4.09</b>	<b>Mixed Qtz veins and green fragmented serpentinite; 3.46 g/tonne Ag including 16.52 g/tonne Au for 0.5 m</b>
			33.4	39.6	<b>6.2</b>	<b>2.36</b>	Mixed <b>Qtz vein</b> & black serpentinite
			49.3	52.3	3.0	2.12	Black serpentinite
	<b>MN09-16</b> (106.7 m)	<-90°>	18.2	19.2	1.0	<b>3.61</b>	Dark green serp.; 2.6 g/tonne Ag
			21.2	22.2	1.0	<b>3.95</b>	Dark green serpentinite
			25.2	29.2	4.0	2.36	Dark green serp.; 5.99 g/tonne Ag
			32.1	33.8	1.7	2.55	Andesite with <b>Qtz</b> vein (20 cm)
			36.8	38.8	2.0	1.64	Dark green serpentinite
			45.3	51.3	<b>6.0</b>	<b>4.90</b>	Dark green serp.; 5.53g /tonne Ag <b>Including 15.64 g/tonne Au for 1.5 m</b>
			96.5	98.5	<b>2.0</b>	<b>25.68</b>	Black serpentinite; 3.5 g/tonne Ag

Site # (Claim)	Hole # (Total depth m)	Azimuth <Angle>	Interval (m)		Length (m)	Gold g/t	Occurrence
			From	To			
<b>3</b> Midnight	MN09-17 (49.7m)	<-90°>	29.5	34.3	4.8	5.30	Mixed Qtz vein, green serp. and soapstone with 1.6 g/tonne Ag including 22.9 g/tonne Au for 0.9 m
	MN09-18 (93.0m)	<-90°>	17.4	20.6	3.2	1.21	Soft serpentinite
			32.0	33.6	1.6	2.32	Ancesite with soapstone; 5.7 g/tonne Ag
			45.6	47.1	1.5	11.11	Dark green serpentinite; 1.1 g/tonne Ag
			55.8	57.3	1.5	2.87	Dark green serpentinite
	MN09-19 (32.6)	<-90°>	No significant gold intersection to 32.6 m			Shutdown early due to bad ground	
	MN09-20 (106.7 m)	<-90°>	40.0	61.8	21.8	1.49	Black serpentinite including 6.46 g/t Au for 1.4 m
	MN09-21 (106.7 m)	<-90°>	49.4	61.9	12.5	5.49	Dark green serpentinite including 10.13 g/t Au over 1.5 m and 15.33 g/t Au over 1.1 m
	MN09-22 (106.7 m)	<-90°>	16.3	17.3	1.0	1.47	Black serpentinite
			29.0	29.7	0.7	2.48	Green serpentine (soapstone)
			37.9	39.1	1.2	2.58	Serpentinized andesite
			41.6	43.6	2.0	1.32	Black serpentinite
			65.6	67.6	2.0	1.81	Black serpentinite
	MN09-23 (106.7 m)	<-90°>	36.9	38.4	1.5	4.47	Dark green serpentinite
			48.3	50.5	1.2	22.43	Black serpentinite
			64.5	67.7	3.2	16.85	Dark green serpentinite including 24.69 g/t Au over 1.9 m
			71.7	75.7	4.0	2.18	Black serpentinite
	MN09-24 (82.3 m)	<-90°>	20.5	24.4	3.9	15.77	Mixed Qtz veins & serpentinite including 36.42 g/t Au over 1.4 m
			28.9	33.5	4.6	25.16	Mixed Qtz veins & serpentinite including 73.23 g/t Au over 1.5 m
			58.3	59.1	1.2	7.84	Mixed serpentinite and soapstone
	MN09-25 (88.4 m)	<-90°>	21.7	23.2	1.5	1.09	Dark green serpentinite
			30.3	31.8	1.5	1.58	Black serpentinite
			34.8	36.3	1.5	1.16	Black serpentinite
			45.5	46.7	1.2	1.04	Serpentine (soapstone)
			53.1	54.1	1.0	2.47	Serpentine (soapstone)
	MN09-26 (91.4 m)	<-90°>	73.0	76.0	2.0	1.32	Sheared serpentinite (soapstone)